


VX100 & VX120

4"/100mm and 5"/120mm axial extract fans





A range of easy to install single speed extract fans. Suitable for a wide range of applications including bathrooms, shower rooms and toilets including zones 1 and 2. VX120 also suitable for utility rooms. Suitable for wall and ceiling fitting, both VX100 and VX120 are available in standard and timer variants.




Product Features	VX100	VX100T	VX120	VX120T
Reference Number	93224AW	93225AW	93228AW	93229AW
Timer (adjustable from 30s – 30mins)		✓		✓
72 m³/h	✓	✓		
137 m³/h			✓	✓

Product Selector	VX100	VX100T	VX120	VX120T
Reference Number	93224AW	93225AW	93228AW	93229AW
Extract Performance (l/s)	20	20	38	38
Extract Performance (m³/h)	73	73	137	137
Electrical Power Rating (W)	16	16	23	23
Specific Fan Power (SFP) (W/l/s)	0.78	0.78	0.61	0.61
Sound Pressure Level (dBA@3m)	35	35	37	37
IP Rating	IPX4	IPX4	IPX4	IPX4
Integral Timer		✓		✓
Motor Type	AC	AC	AC	AC



Ceiling Installation




Wall Installation

VX150

6"/150mm axial extract fans





A range of easy to install single speed extract fans. Particularly suitable for larger bathrooms, utility rooms and kitchens. Can be wall or ceiling fitted and is available in standard and timer variants.




Models	VX150	VX150T
Reference Number	93226AW	93227AW
Standard	✓	
Timer		✓
Safety Finger Guard	✓	✓

Product Selector	VX150	VX150T
Reference Number	93226AW	93227AW
Extract Performance (l/s)	62	62
Extract Performance (m³/h)	221	221
Electrical Power Rating (W)	25	25
Specific Fan Power (SFP) (W/l/s)	0.41	0.41
Sound Pressure Level (dBA@3m)	41	41
IP Rating	IPX4	IPX4
Integral Timer (adjustable 30s - 30m)		✓
Motor Type	AC	AC



Ceiling Installation



Wall Installation